

## **IEEE Search**

### **Author Search**

- **Mark Day**
- **Gang Lu**
- **Barbara Liskov**
- **James O'Toole**

### **Text Search**

**test <near/2> url**

**(dns or proxy) and server and ip <near/2> address and client**

**ip <near/2> address and ((domain or host) <near/2> name)**

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>2562</b>	(signal with carrier adj wave).clm.	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>2</b>	<b>L2</b>	<b>65</b>	(signal with carrier adj wave with adapted).clm.	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>3</b>	<b>L3</b>	<b>2</b>	5848378.pn.	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>4</b>	<b>L4</b>	<b>1981 2</b>	(dns or domain adj name or server) with log\$4	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>5</b>	<b>L5</b>	<b>5735 7</b>	(dns or domain adj name or server) with request\$3	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>6</b>	<b>L6</b>	<b>776</b>	(url or universal adj resource adj locator) with cache	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>7</b>	<b>L7</b>	<b>191</b>	(url or universal adj resource adj locator) with cache with client	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>8</b>	<b>L8</b>	<b>159</b>	(url or universal adj resource adj locator) with cache with (proxy or dns or domain adj name adj server)	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>9</b>	<b>L9</b>	<b>57</b>	authoritative near4 server and ip adj address and (dns or "domain name server") and server.ti,ab.	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>10</b>	<b>L10</b>	<b>73</b>	authoritative near4 server and ip adj address and (dns or "domain name server") and resolv\$3 near4 (name or address)	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>11</b>	<b>L12</b>	<b>70</b>	authoritative near4 server and ip adj address and (dns or "domain name server") and (host adj name or url)	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>12</b>	<b>L13</b>	<b>33</b>	9 and 10 and 12	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>13</b>	<b>L14</b>	<b>136</b>	(associat\$3 or match\$3 or correlat\$3 or correspond\$3) with client with (dns or domain adj name adj server)	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>14</b>	<b>L15</b>	<b>21</b>	<b>(associat\$3 or match\$3 or correlat\$3 or correspond\$3) with client with (dns or domain adj name adj server).ti,ab,clm.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>15</b>	<b>L16</b>	<b>5</b>	<b>"6332158"</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>16</b>	<b>L17</b>	<b>9</b>	<b>(log\$4 or list or register\$4) near5 request\$4 near4 resolve\$4 near6 (host adj name or url or ip adj address)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>17</b>	<b>L18</b>	<b>93</b>	<b>(domain adj name adj (server or service)).ti.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>18</b>	<b>L19</b>	<b>23</b>	<b>18 and (log\$4 or list or register\$4) near5 (host adj name or url or ip adj address or domain adj name)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>19</b>	<b>L20</b>	<b>2106</b>	<b>(log\$4) near5 (host adj name or url or ip adj address or domain adj name)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>20</b>	<b>L21</b>	<b>583</b>	<b>(domain adj name adj (server or service)).ti,ab,clm.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>21</b>	<b>L22</b>	<b>52</b>	<b>20 and 21</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>22</b>	<b>L23</b>	<b>1711 367</b>	<b>"52" and (@prad&lt;20000821 or @ad&lt;20000821)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>23</b>	<b>L24</b>	<b>25</b>	<b>22 and (@prad&lt;20000821 or @ad&lt;20000821)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>24</b>	<b>L25</b>	<b>11</b>	<b>bunjob.xa. and (international adj business adj machines).as.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>25</b>	<b>L26</b>	<b>19</b>	("5379296"   "5560038"   "5596723"   "5623605"   "5734865"   "5740438"   "5751971"   "5758070"   "5835720"   "5835725"   "5850526"   "5959990"   "6016388"   "6018767"   "6032197"   "6047325"   "6049826"   "6115385"   "6128294").PN.	<b>USPAT</b>
<b>26</b>	<b>L27</b>	<b>2</b>	"20030093523"	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>11</b>	<b>test adj url</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>2</b>	<b>L2</b>	<b>5</b>	<b>1 and ip adj address</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>3</b>	<b>L3</b>	<b>51</b>	<b>(reconcil\$3 or resolv\$4 or resolution) near3 (ip adj address) near5 client</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>4</b>	<b>L4</b>	<b>170</b>	<b>(reconcil\$3 or resolv\$4 or resolution) near3 (host adj name or domain adj name) near5 (proxy or server)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>5</b>	<b>L5</b>	<b>23</b>	<b>3 and 4</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>6</b>	<b>L6</b>	<b>9</b>	<b>((reconcil\$3 or resolv\$4 or resolution or match\$3 or correlat\$4) near3 (ip adj address) near5 client) with (host adj name or domain adj name) with (server or proxy)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>7</b>	<b>L7</b>	<b>795</b>	<b>709/245.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>8</b>	<b>L8</b>	<b>2014</b>	<b>709/224.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>9</b>	<b>L9</b>	<b>36</b>	<b>7 and 8</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>10</b>	<b>L10</b>	<b>588</b>	<b>(dns or domain adj name server or proxy adj server) same client same server same ip adj address same (host adj name or domain adj name)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>11</b>	<b>L11</b>	<b>195</b>	<b>10 same (match\$3 or log\$4 or regist\$6 or correlat\$4 or test or probe)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>12</b>	<b>L12</b>	<b>83</b>	<b>11 and (@ad&lt;20000821 or @prad&lt;20000821)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>1</b>	<b>"6505254"</b>	<b>USPAT</b>
<b>2</b>	<b>L2</b>	<b>8</b>	<b>(False or pseudo or unassigned or fake) near3 (host or domain) adj name</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>3</b>	<b>L4</b>	<b>0</b>	<b>send\$4 near3 (unknown or unassigned) near3 (url or host adj name)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>4</b>	<b>L5</b>	<b>2</b>	<b>send\$4 near3 (unknown or unassigned or test or false or fake) near3 (url or host adj name)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>5</b>	<b>L3</b>	<b>7</b>	<b>(authoritative adj server) and (ip adj address) and (host adj name)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>6</b>	<b>L6</b>	<b>1772</b>	<b>709/223.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>